

KHARITONOVICH, Fedor Nikolayevich, professor; STRATONOVICH, A.I., redaktor;
OSOKINA, A.M., redaktor izdatel'stva; SHITS, V.P., tekhnicheskiy
redaktor

[The European spindle tree and how to grow it] Beresklet evropeiskii
i agrotekhnika ego vyrashchivaniia. Moskva. Goslesbumizdat, 1956.
108 p. (MLRA 10:2)
(Spindle tree)

KHARITONOVICH, F.N., prof., red.; YUREN, M.A., red.; SVETLAYEVA, A.S.,
red.izd-va; BAGHURINA, A.M., tekhn.red.

[Collection of papers on forestry] Sbornik rabot po lesnomu
khoziaistvu. Pod obshchey red. F.N.Kharitonovicha. Moskva,
Goslesbumizdat, 1957. 74 p. (MIRA 12:3)

1. Russia (1923- U.S.S.R.) Glavnoye upravleniye sel'skokhozyay-
stvennoy nauki.

(Forests and forestry)

USSR/Cultivated Plants - Commercial. Oil-Bearing. Sugar-Bearing. M-5

Abs Jour : Ref Zhur - Biol., No 7, 1958, 29918

Author : Kharitonovich, F.N.

Inst : -

Title : Cultivation of the Spindle Tree, Evonymus Europaea.

Orig Pub : Vestn. s.-kh. nauk, 1957, No 2, 104-106 (resume English. German)

Abstract : In field tests made on the medium podzolized loam soil in Moskovskaya Oblast', the gray forest loam soil of Vinnitskaya Oblast' and the carbonate Pre-Caucasian chernozem soil of Krasnodarskiy Kray, the growth of the spindle tree on the chernozem was very much better than on the gray forest soils and the podzolized loams. With improved soil and climatic conditions there was sturdier growth in the surface parts and root system of the spindle tree and thicker root rind. Data is given on the average weight of the root system, the output of

Card 1/2

- 24 -

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721820010

K

Country : USSR

Category: Forestry Forest Cultures.

Abs Jour: RZhBiol., No 12, 1958, No 53493

Author : Kharitonovich, F.N.

Inst : All-Union Sci. Res. Inst. of Forestry and Mechanization of Forest Management

Title : The Relationship of Fruit Bearing to the Vigor of Growth in the European Spindle Tree.

Orig Pub: Byul nauchno-tekhn. inform. Vses. n.-i. inst. lesovedstva i mekhaniz. lesn. kh-va, 1957, No 4, 3-8

Abstract: The experiments were conducted during 1955-1956 at the Ivanteyev nursery of the All-Union Scientific Research Institute of Forestry and Mechanization of

Card : 1/3

KHARITONOVICH, F.N. [Kharytanovich, F.N.]

Growth characteristics of pine in the course of the growing period
under conditions prevailing in the forest zone. Vestsi AN BSSR.
Ser. biial. nav. no.2:29-34 '61. (MIRA 14:7)
(PINE) (GROWTH (PLANTS))

KHARITONOVICH, F.N.

Growth of the Siberian larch in artificial plantations during
the growing season. Sbor. nauch. rab. Bel. otd. VBO no.3:137-143
'61. (MIRA 14:12)

(Pushkino--Larch)

(Growth (Plants))

KHARITONOVICH, F.N., otv. red.; BEREZENKO, N.M., zam. otv. red.
MOISEYENKO, F.P., red.; ORLENKO, Ye.G., red.; OSTROGLAZOV,
V.A., red.; RYVKIN, B.V., red.; SAVCHENKO, A.I., red.;
SINITSKIY, V.P., red.; POBEDOV, V.S., red.; BARKAN, V.,
red.; ZUYKOVA, V., tekhn. red.

[Forestry science and practice] Lesovodstvennaya nauka i prak-
tika. Minsk, Sel'khozgiz BSSR, 1962. 246 p. (MIRA 16:1)
(White Russia--Forests and forestry)

KHARITONOVICH, F.N. [Kharytanovich, F.M.], doktor sel'skokhoz.nauk

Growth of spruce in pure spruce and mixed pine and spruce
plantations during the growing period. Vestsi AN BSSR.Ser.
bital.nav. no.3:20-25 '62. (MIRA 15:12)
(MOSCOW PROVINCE--SPRUCE)

KHARITONOVICH, F.N.

Productivity of trees in an even-aged pine stand. Bot.:
1ss1. Bel. otd. VBO no.51120-127 '63. (MIRA 17:5)

KHARITONOVICH, K.F.; CHEPELEVETSKIY, M.L.

Study of calcium precipitation as molybdate by phototurbidimetric titration. Zhur. anal. khim. 20 no.6:743-745 '65.

(MIRA 19:7)

1. Moskovskiy Institut tenkoy khimicheskoy tekhnologii imeni Lomonosova.

S/078/60/005/009/007/011
B015/B064

AUTHORS: Abrikosov, N. Kh., Bankina, V. F., Kharitonovich, K. F.

TITLE: Investigation of the Phase Diagram of the System Bi-Se

PERIODICAL: Zhurnal neorganicheskoy khimii, 1960, Vol. 5, No. 9,
pp. 2011-2015

TEXT: The system Bi-Se was examined in the range of from 0 to 37% Se by the methods of microstructural analysis, thermal analysis, and measurement of electrical conductivity, as well as of thermo-electromotive force. Thermal analysis was made with a Kurnakov pyrometer by recording the heating curves. The electrical conductivity and thermo-electromotive force were measured with a ПНТБ-12 (PPTV-1) potentiometer. The microstructural analyses led to the finding of a new compound with the approximate composition Bi_2Se_3 , which is formed as a result of a peritectic reaction at 468°C . A range of solid solutions forms on the basis of the compound BiSe at concentrations of from 21 to 32% Se. A peritectic reaction at 607°C corresponds to this range. The phase diagram (Fig. 5) of the system

Card 1/2

Investigation of the Phase Diagram of the
System Bi-Se

S/078/60/005/009/007/017
B015/B064

Bi-Se was recorded on the basis of the thermal- and microstructural analyses. The polymorphic transformation of BiSe assumed by Tomoshige (Ref. 4) was not proven, and the thermal effect is traced back to the formation of Bi_2Se_3 . The measurements of the electrical conductivity and thermo-electromotive force (Table) show that at slight deviations from the stoichiometric composition of the compound Bi_2Se_3 the electrical conductivity increases, while the thermo-electromotive force decreases. This is explained by a low solubility of bismuth and selenium in the compound Bi_2Se_3 . S. A. Semiletov and P. P. Konorov are mentioned in the paper. There are 9 figures, 1 table, and 9 references: 2 Soviet, 2 US, 2 French, 2 Italian, and 1 Japanese.

SUBMITTED: May 6, 1959

Card 2/2

CHEPELEVETSKIY, M.L.; KHARITONOVICH K.F.

Solubility; product of lead molybdate. Zhur. anal. khim.
13 no.3:357-359 Mar'63. (MIRA 1715)

1. Moskovskiy institut tonkoy khimicheskoy tekhnologii
imeni Lomonosova.

ABRIKOSOV, N.Kh.; BANKINA, V.F.; KHARITONOVICH, K.F.

Phase diagram of the system Bi - Se. Zhur.neorg.khim. 5 no.9:
2011-2016 S '60. (MIRA 13:11)
(Bismuth) (Selenium)

CHEPELEVETSKIY, M.L.; KHARITONOVICH, K.F.

Titimetric attachment to a photocolormeter. Zav. lab. 31 no.2:253,
254 '65. (MIRA 18:7)

1. Moskovskiy institut tonkoy khimicheskoy tekhnologii im. M.V.Lomonosova.

ACC NR: AT6036705

SOURCE CODE: UR/0000/66/000/000/0179/0185

AUTHOR: Severdenko, V. P. (Academician AN BSSR); Klubovich, V. V.; Kharitonovich, M. V.

ORG: none

TITLE: A study of the nonuniformity of deformation during upsetting with the superposition of mechanical oscillations of ultrasonic frequency

SOURCE: AN BSSR. Fiziko-tehnicheskii institut. Plastichnost' i obrabotka metallov davleniyem (Plasticity and metalworking by pressure). Minsk, Nauka i tekhnika, 1966, 179-185

TOPIC TAGS: ~~metal~~ metal forging, aluminum, ultrasonic vibration, ultrasonic field, plastic deformation, deformation distribution, wave velocity, impact stress

ABSTRACT: A study was done on the deformation distribution, perpendicular and parallel to the sample axis, during free upsetting with superimposed ultrasonic oscillations. Aluminum cylinders were used with diameters of 8 and 10 mm, and heights of 12 and 15 mm; the ratio of diameter to height was kept constant at 0.66. A PMS-15A transducer having a conical head induced ultrasonic oscillations with a resonant frequency of 19 kc. Before deformation, spaced threads were engraved over the diameter of specimens, and the amount of deformation (ϵ) was calculated from the changes in thread spacing

Card 1/2

ACC NR: AT6036705

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721820010

after deformation:

$$\epsilon = (A-a)/a \text{ } 100\%,$$

where A is the thread spacing after deformation, and a is the thread spacing before deformation. Curves showed the deformation distribution in the transverse direction at various distances from the sample ends. Large differences were observed when ultrasonic oscillations were superimposed on ordinary upsetting. The largest values of ϵ occurred at the sample ends and near the sample axis. In the absence of ultrasonic oscillations, the upset deformation at the ends was retarded by cracks which formed along the contact surface; however, at the central portion of the sample the value of ϵ was greater than after upsetting with ultrasonic oscillations. Ultrasonic oscillations changed the deformation distribution along the length and cross section of the upset samples. This was caused by the repeated compressive impact occurring as a result of ultrasonic vibrations. Partial differential equations were presented for dynamic impact conditions using the von Karman approach for determining the speed of the deformation wave. An equation was given for the residual deformation on the ends of a rod after a given number of impacts. Orig. art. has: 2 figures, 4 formulas.

SUB CODE: 11/

SUBM DATE: 08Jul66/

ORIG REF: 006/

OTH REF: 001

Card 2/2

ACC NR: AT6036706

SOURCE CODE: UR/0000/66/000/000/0186/0190

AUTHOR: Severdonko, V. P. (Academician AN BSSR); Klubovich, V. V.; Kharitonovich, M. V.

ORG: none

TITLE: A study of microhardness distribution through the volume of a sample deformed in an ultrasonic field

SOURCE: AN BSSR. Fiziko-tehnicheskiiy institut. Plastichnost' i obrabotka metallov davleniyem (Plasticity and metalworking by pressure). Minsk, Nauka i tekhnika, 1966, 186-190

TOPIC TAGS: ultrasonic field, ^{metal}upset forging, compressive property, microhardness, plastic deformation, electrolytic polishing

ABSTRACT: The effect of ultrasonic oscillations on the microhardness distribution through the entire volume of a deformed iron sample was studied. Ultrasonic vibrations at 19 kc were induced by a UZG-10M generator using a PMS-15A magnetostrictive transducer. A conical head having a 3.5 amplification factor transmitted the oscillations to the annealed samples (8 mm diameter and 12 mm height) at a constant intensity. After upset deformation, the samples were sectioned along the surface and axis, and the microhardness was taken at various distances from the sample ends. The microhardness

Card 1/2

ACC NR: AT6036706

distributed. **APPROVED FOR RELEASE: 09/17/2001** **CIA-RDP86-00513R000721820010-**
ends and along the outside perimeter as a result of superimposed ultrasonic oscillations. Samples prepared by mechanical polishing had greater and more uniform hardness values than electropolished samples, although the trend of the results was the same. With ordinary upsetting (no ultrasonic field) the microhardness was more uniform with the maximum hardness occurring in the central volume of the samples; the minimum value occurred at the ends, near the sample axis. Increased deformation raised the microhardness, although the distribution became more uniform. For ordinary upsetting the retarded deformation near the sample ends was due to cracks which formed along the contact surfaces. Ultrasonic oscillations caused intensified flow of metal on the contact surfaces, with maximum deformation at the sample axis. Orig. art. has: 2 figures.

SUB CODE: 11/

SUBM DATE: 08Jul66/

ORIG REF: 002

Card 2/2

L 46130-66

EWI(m)/EWP(t)/ETI/EWP(k) LJP(g) JD/HW

ACC NR: AP6026965

SOURCE CODE: UR/0250/66/010/007/0465/0467

AUTHOR: Severdenko, V. P.; Klubovich, V. V.; Kharitonovich, M. V. 66
B

ORG: Physico-Technical Institute, AN BSSR (Fiziko-tekhnicheskiy institut AN BSSR)

TITLE: Distribution of second order residual stresses during the deformation of a metal in an ultrasonic field

SOURCE: AN BSSR. Doklady, v. 10, no. 7, 1966, 465-467

TOPIC TAGS: ultrasonic vibration, plastic deformation, x ray analysis, crystal lattice distortion

ABSTRACT: It has already been established that ultrasonic oscillations influence the plastic deformation of metals by facilitating slip processes, changing the nature of the distribution of deformation, etc. A study was undertaken to clarify the role of ultrasonic oscillations on the magnitude and distribution of residual microdeformation in crystal lattices and the second order residual stresses in samples after their deformation. Samples of Armco iron (8 mm in diameter and 12 mm long) were deformed to similar levels of strain, with and without an ultrasonic field of 19 Khz. The ultrasonic source was a PMS-15A¹⁶ magnetostrictive convertor. After applying deformations of 5, 10, 15, 25 and 50% the samples were examined for residual stresses by x-ray methods. The residual lattice microstress ($\Delta a/a$) was determined from the formula

Card 1/2

ACC NR: 46130-66
AP6026965

$$\Delta a/a = \beta_n / 4 \tan \theta,$$

where θ is the Wulff-Bragg angle for (220) lines. The corresponding second order microstresses were calculated from

$$\sigma_{20} = \frac{3}{\chi} \frac{\Delta a}{a} = \frac{E}{1-2\mu} \frac{\Delta a}{a},$$

where χ is compressibility, E is the elastic modulus and μ is the Poisson ratio. This stress was determined experimentally on milled faces of samples, in central portions as well as in layers lying 0.2, 1.0 and 2.5 mm below the faces. The distribution of σ_{20} was given as a function of sample height for varying deformations under both ordinary and ultrasonic conditions. For ordinary deformation σ_{20} rose sharply within the range of deformation from 0 to 25%, but slowly above 25%. Under an ultrasonic field σ_{20} also rose sharply up to 10% deformation--this time, however, it dropped above 10%. The general level of microstress was lower under the ultrasonic field as a result of the finer distribution of microstress and the localized increase in temperature upon absorption of ultrasonic energy by lattice defects. Orig. art. has: 1 figure, 2 formulas.

SUB CODE: 11, 07, 20 SUBM DATE: 07Feb66/ ORIG REF: 002/ OTH REF: 002

Card 2/2 JS

KHARINOVICH, N. N.

KHARINOVICH, N. N. - "The pressure of milled peat against the supporting walls."
Minsk, 1955. Min Higher Education USSR. Belorussian Polytechnic Inst named
I. V. Stalin. (Dissertations for degree of Candidate of Technical Sciences.)

SC: Knizhnaya letopis', No 48. 26 November 1955. Moscow.

KHARITONOVICH, N.N.

Pressure of milled peat on parallel and plane closed bulkhead.
Sbor. nauch. trud. Bel. politekh. inst. no.88:64-79 '60.

(MIRA 14:12)

(Peat machinery)

KHARITONOVICH, N.N.

Effect of vibrational movements on the pressure of milled peat
on walls of the body of peat machinery. Sbor. nauch. trud.
Bel. politekh. inst. no.88:80-87 '60. (MIRA 14:12)
(Peat machinery)

KHARITONSKA, R. M.

Variations in the acid-base equilibrium in hepatic disease after fatigue. I. M. Turouets and R. M. Kharitonska. *J. med. Ukraine* 8, 507-11 (in French, 511) (1938). --Resting patients suffering from hepatic disease of not too severe a character showed no change in the acid-base equil. although the blood contained a high concn. of partially oxidized metabolic products (ketonic bodies, lactic acid and residual N). After fatigue the reserve alkali fell, and a diminution of H_2CO_3 in the alveolar air, of NH_3 in the urine and of acidity of the urine was observed.

S. A. Karjala

ASB-11-A DETAILLED LITERATURE CLASSIFICATION

BERG, G.A.; MASAGUTOV, R.M.; VOL'FON, I.S.; KIRILLOV, P.D.; BERA-VIRSKIY,
M.I.; KHARITSKAYA, R.Z.

Hydropurification of thermal cracking cellux. Trudy Bash. NIINP no.5:
69-77 '62. (MIRA 17:10)

MASAGUTOV, R.M.; BERG, G.A.; KOLBINA, L.I.; KHARITSKAYA, R.Z.

Economic effectiveness of certain variates of the preparation of
raw stocks for catalytic cracking. Trudy Bash NIINP no.5:94-98
'62. (MIRA 17:10)

KHARITONSKIY, M.

A machine for taking out sauerkraut from fermentation troughs.
Sov. torg. 33 no.6:50-52 Je '59. (MIRA 12:8)
(Food industry--Equipment and supplies)
(Sauerkraut)

KHARITONSKIY, M.; TSYPIN, I.

Sloping slat conveyer. Sov.torg. 33 no.6:72-73 Je '60.
(MIRA 13:7)
(Conveying machinery)

KHARITONSKIY, M.

Small-size accumulator fork lift unit. Sov. torg. 36 no.3:52-54 Mr '63.
(MIRA 16:3)

(Hoisting machinery)

REGISTRATION, M.D.

PYSHKIN, B.A.; RUSAKOV, S.V., kandidat tekhnicheskikh nauk; SUKHOMEL,
G.I., otvetstvennyy redaktor; KHARITONSKIY, M.B., redaktor;
SIVACHENKO, Ye.K., tekhnicheskiy redaktor.

[Major stream regulation engineering works of the Dnieper type;
design and calculations] Kapital'nye vypravitel'nye sooruzhenia
dneprovskogo tipa; konstruktsii i raschety. Kiev, Izd-vo Akademii
nauk Ukrainskoi SSR, 1954. 115 p.[Microfilm] (MLRA 8:2)

1. Ohlen-korrespondent Akademii nauk Ukrainskoy SSR (for Pyshkin).
2. Deystvitel'nyy ohlen Akademii nauk Ukrainskoy SSR (for Sukhomel).
(Rivers--Regulation)

KHARITONSKIY, M.B.

PYSHKIN, Boris' Andreyevich, doktor tekhnicheskikh nauk, professor; SUKHOMEL, G.I., redaktor; KHARITONSKIY, M.B., redaktor; SIVACHENKO, Ye.K., tekhnicheskiiy redaktor.

[Problems in the hydrodynamics of reservoir banks] Voprosy dinamiki beregov vodokhranilishch, Kiev, Izd-vo akademii nauk Ukrainskoi SSR, 1954. 134 p. [Microfilm] (MLRA 7:12)

1. Chlen-korrespondent Akademii nauk USSR (for Pyshkin) 2. Deystvitel'nyy chlen AN USSR (for Sukhomel).
(Reservoirs) (Hydrodynamics)

RAPOPORT, Il'ya Markovich; SOKOLOV, Yu.D., redaktor; KHARITONSKIY, M.B.,
redaktor; KRYLOVSKAYA, N.S. tekhnicheskiy redaktor

[Some asymptotic methods in the theory of differential equations]
O nekotorykh asimptoticheskikh metodakh v teorii differentsial'nykh
uravnenii. Kiev, Izd-vo Akademii nauk Ukrainsoi SSR, 1954. 287 p.
[Microfilm] (MLRA 8:3)

1. Chlen-korrespondent AN USSR (for Sokolov)
(Asymptotes) (Differential equations, Linear)

KHARITONSKIY, M.B.

GARF, Mikhail Ernestovich; KORSACEVICH, Nikolay Ivanovich; KRAMARENKO,
Oksana Yur'yevna; SEREISEN, Sergey Vladimirovich; SLUTSKAYA,
Ol'ga Borisovna; KHARITONSKIY, M.B., redaktor; KHYLOVSKAYA, N.S.
tekhnicheskii redaktor.

[Strength of tractor engine crankshafts; manual for calculations
and tests] Prochnost' klenchatykh valov traktornykh dvigatelei;
rukovodstvo po raschetu i ispytaniu. Kiev, Izd-vo Akademii
nauk USSR, 1955. 199 p. (MLRA 9:1)
(Crank and crankshafts) (Tractors)

KHARITONSKIY, M.B.

PISARENKO, Georgiy Stepanovich, professor, doktor tekhnicheskikh nauk;
SAVIN, G.N., redaktor; VAYNBERG, D.V., doktor tekhnicheskikh nauk;
redaktor; KHARITONSKIY, M.B., redaktor; RAKHLINA, N.P. tekhnicheskiiy redaktor.

[Vibration of elastic systems taking into account the dispersion of energy in a material] Kolebaniia uprugikh sistem s uchetom rasseianiia energii v materiale. Kiev, Izd-vo Akademii nauk Ukrainnoi SSR, 1955. 235 p.
(Vibration) (MLBA 8:9)

STUPISHIN, A.V., prof.; BABANOV, Yu.V., ml. nauchn. sotr.;
GUSEVA, A.A., ml. nauchn. sotr.; DUGLAV, V.A., dots.;
ZAKHAROV, A.S., dots.; KOSTINA, N.M., assistant; LAVROV,
D.D., dots.; LAPTEVA, N.N., assistant; ROMANOV, D.F., ml.
nauchn. sotr.; SIROTKINA, M.M., aspirant; SMIRNOVA, T.A.,
ml. nauchn. sotr.; TORSNIYEV, N.P., st. prepod., TAYSIN,
A.S., st. prepod.; TROFIMOV, A.M., assistant; KHARITONYCHEV,
A.T., prepod.; STUPISHIN, A.V., red.; KHABIBULLOV, R.K.,
red.

[Establishing physico-geographical regions in the middle
Volga Valley] Fiziko-geograficheskoe raionirovanie Sred-
nego Povolz'ia. Kazan', Izd-vo Kazanskogo univ., 1964. 196 p.
(MIRA 18:12)

KHARITONICHEV, A.T.; KUL'VANSKIY, S.B., dotsent, red.

[Role of man in landscape changes of the right-bank area of Gorkiy Province] Rol' khoziaistvennoi deiatel'nosti cheloveka v izmenenii landshaftov Gor'kovskogo pravoberezh'ia. Gor'kii, Gor'kovskii gos.pedagog.in-t im. A.M.Gor'kogo, 1960. 149 p.

(MIRA 14:2)

(Gorkiy Province--Physical geography)

KHARITONYUK, A.M.; TSYBINA, Ye.D.

Investigating the causes of defects on flat polished surfaces.
Priborostroenie no.7:23-25 J1 '61. (MIRA 14:6)
(Surfaces (Technology)—Testing)

L 04632-67 EWT(m)/EWP(t)/ETI IJP(c) JD/HW

ACC NR: AP6010098

SOURCE CODE: UR/0129/66/000/003/0057/0059

AUTHOR: Kharitonyuk, A. M.

ORG: Watch Manufacturing Association "Luch" (Chasovoye proizvodstvennoye ob"yedineniye "Luch")

TITLE: Chemical nickel- and cobalt-plating

SOURCE: Metallovedeniye i termicheskaya obrabotka metallov, no. 3, 1966, 57-59

TOPIC TAGS: metal plating, nickel plating, cobalt, metal coating

ABSTRACT: Hardness and microstructure of nickel, cobalt, and cobalt-nickel plating applied chemically to steel U10A and brass L62 were investigated. Plating was conducted in a 1-liter glass beaker at 90—93C for 4 hours, maintaining the pH at 8—9. Hardness of the coating was measured on the apparatus PTM-3 with a 100-g load. Changes in the hardness of Co and Ni deposits as a function of temperature are illustrated in Fig. 1. Microscopic investigation of the coatings disclosed that the layering effect obtained during chemical plating is due to the uneven distribution of phosphorus. This effect disappears after thermal treatment, resulting in the formation of granular Ni_3P and corresponding cobalt compounds.


Card 1/2

UDC: 621.793.3

L 04632-67

ACC NR: AP6010098

Fig. 1. Hardness of plating as a function of the treatment temperature (2 hours): — nickel plating; - - - - - cobalt plating.



Orig. art. has: 5 figures.

SUB CODE: 11/ SUBM DATE: none/ ORIG REF: 002/ OTH REF: 002
13/

awm

Card 2/2

KHARITSKIY, G. F.

AID P - 1251

Subject : USSR/Engineering

Card 1/1 Pub. 110-a - 12/17

Author : Kharitskiy, G. F., Eng.

Title : Steam pressure regulator in end packings of a steam turbine

Periodical : Teploenergetika, 1, 51, Ja 1955

Abstract : In order to sustain a uniform pressure in end packings of a steam turbine, a steam-pressure regulator is designed, which can either supply fresh steam to the packing or draw off steam from the packings to the condenser. The regulator is described and shown on a diagram.

Institution : Kaluga Turbine Plant

Submitted : No date

KHARITSKIY, G.F., inzhener.

New design for striker-type safety release devices.
Teploenergetika 3 no.11:62 N '56.

(MLRA 9:12)

(Turbines--Safety appliances)

SOV/96-58-9-11/21

AUTHOR: Kharitskiy, G.F. (Engineer)

TITLE: A Condensate-level Regulator for Steam-turbine Condensers
(Regulyator urovnya kondensata v kondensatore parovoy
turbiny)

PERIODICAL: Teploenergetika, 1958, Nr 9, pp 60 - 62 (USSR)

ABSTRACT: This article describes a condensate-level regulator, developed by the Kaluga Turbine Works, which automatically controls the condensate level in a turbine condenser under any operating conditions. The method of connecting the regulator to the condenser is illustrated diagrammatically in Fig 1. The output of the condensate pump is made to depend on the level of condensate in the condenser. At light loads, condensate is automatically re-circulated. A sectional drawing of the regulator is given in Fig 2. It consists essentially of a float, the position of which varies according to the condensate level, operating a slide valve with a differential piston to control the condensate flow. The action of the regulator is described. Operating experience with these regulators shows that sometimes the working surfaces of the slide valve are scored in the early

Card 1/3

SOV/96-58-9-11/21

A Condensate-level Regulator for Steam-turbine Condensers

stages of operation, but later on as the condensate becomes purer the wear does not extend. The Works is producing three sizes of regulator with valve diameters of 50, 60 and 80 mm. The first regulator was tested on a rig and then on a 4-megawatt turbine. Thereafter, a prolonged service trial was made on a 2,500 kW turbine. The regulator was tested with contaminated condensate but still worked reliably over the load range. A graph of the condensate level as a function of turbine output for the 2,500 kW turbine is given in Fig 3. The small scatter of the experimental points demonstrates the high

Card 2/3

SOV/96-58-9-11/21

A Condensate-level Regulator for Steam-turbine Condensers

sensitivity of the level regulator and the linearity of the characteristic shows that the design procedure is correct.

There are 3 figures, no literature references

ASSOCIATION: Kaluzhskiy turbinnyy zavod (Kaluga Turbine Works)

1. Steam condensers--Equipment 2. Liquid level control--Equipment

Card 3/3

KHARITSKIY, G.F., inzh.

Shut-off valve with locking stem sealing. Energomashinostroenie
5 no.1:45-46 Ja '59. (MIRA 12:2)
(Valves)

KHARITSKIY, I.A. (Neshin)

Electric power and charging unit. Fiz.v shkole 14 no.1:71-73 Ja-F '54.

(MLBA 7:1)

(Electric apparatus and appliances)

GLAGOLEV, Georgiy Il'ich; GOLOVAN, A.T., doktor tekhn.nauk, prof., retsenzent;
KHARIZAMENOV, I.V., doktor tekhn.nauk, prof., retsenzent; SUD, I.I., red.;
SUSHKIN, I.G., red. izd-va; MIKHAYLOVA, V.V., tekhn. red.

[Electrical equipment of press and forging shops] Elektrooborudovanie kuznechno-pressovykh tsekhov. Moskva, Metallurgizdat, 1962.

311 p.

(MIRA 15:7)

(Forging)

(Electric driving)

KHARIZANOV, A.; ANGELOVA, R.

Birds beneficial to farming. Prir i znanie 15 no.7:5-7 S '62.

KHARIZANOV, A., st. asist.; ANGELOVA, R., asist.

Shell-less snails and fight against them. Priroda Bulg 12 no.3;
87-90 My-Je '63.

1. Vissh selskostopanski institut "V. Kolarov" v Plovdiv.

KHARIZANOV, Angel, st. asist.

Leucoptera gusini HS, and ways of fighting it. Priroda
Bulg 12 no. 5: 85-87 S-O '63.

1. Visah selskostopanski institut "V. Kolarov", Plovdiv.

KHARIZANOV, Angel F., st. asist.

Plant lice in the orchards of Bulgaria. Priroda Bulg
12 no. 6:91-97 N-D '63.

1. The Vasil Kolarov Higher Agricultural Institute,
Plovdiv.

~~SECRET~~ BULGARIA/Chemical Technology - Fermentation Industry.

H-27

Abs Jour : Ref Zhur - Khimiya, No 24, 1958, 83259

Author : Kharizanov, P.T.

Inst : -

Title : The Drying of Tarteric Acid Raw Material Obtained in Wine Making.

Orig Pub : Lozarstvo i vinarstvo, 1958, 7, No 2, 38-43.

Abstract : The optimum drying temperature for calcium tartrate (I) is 90-95°C. The heating must be done gradually. To dry cream of tartar a temperature of 130-150°C. is required but not to exceed 160°C. A scheme and commercial calculation are given for the construction of an improved dryer of the oven-Leshanka type to dry I. The application of water as an intermediate heating agent provides a drying temperature of < 100°C. Waste gases from a steam room can be used for heating.

Card 1/1

- 38 -

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721820010

DIMITROVA, M. inzh.; KHARIZANOV, Gr., inzh.

The LV2-2 electronic voltmeter. Radio i televizija 13 no.5:
143-146 '64

KHARIZANOV, V.

Development of radio engineering in Bulgaria. p. 7. RADIO. (Ministerstvo na poshtite, telegrafite, telefonite i radioto i Tsentralniiia suvat na dobrovoinata organizatsiia za sudeistvie na otbranata] Sofiya. Vol. 4, no. 5, 1955

SOURCE: East European Accessions List, (EEAL), Library of Congress
Vol. 4, No. 12, December 1955

BULGARIA / Microbiology. General Microbiology.
Physiology and Biochemistry.

F

Abs Jour : Ref Zhur - Biologiya, No 6, 1959, No. 23926

Author : Mitev; Pashov; Kharizanova; Lambrev; Beshkov
Inst : Microbiological Institute
Title : Influence of Various Factors on Biosynthesis
of L-Ascorbic Acid by Mold Fungi

Orig Pub : Izv. Mikrobiol. in-t, Bolg. AN, 1957, 8,
209-221

Abstract : No abstract given

Card 1/1

3

STAMENOV, St. inzh. : VACHEV, D. inzh. : KHARIZANOVA, I. inzh.

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R00072182001

Studies on the oil shales in Bulgaria as raw material for the ob-
tainment of autoclave cellular concrete. Stroitelstvo 9 no.6:2-6
N-D '62.

STAMENOV, S.; VACHEV, D.; KHARIZANOVA, L.

Bituminous shale as a raw material for cellular concrete.
Stroi. mat. 10 no.2:39-40, p.3 of cover F '64.

(MIRA 17:6)

MITKOV,V.; KHARIZANOVA,M.; BRATANOV,A.[deceased]

Diagnostic value of bilirubinemia in acute disorders of cerebral circulation. Suvrem. med., Sofia 11 no.2-3:152-157 '60.

1. Iz Katedrata po Nervni Bolesti pri VMI - Plovdiv, Zav. Katedrata: prof. Tr. Zaprianov; Katedrata po Biokhimiia pri VMI - Plovdiv, Zav. Katedrata: prof. I.P. Mitev.
 - (BILIRUBIN blood)
 - (CEREBRAL HEMORRHAGE blood)
 - (CEREBRAL EMBOLISM AND THROMBOSIS blood)

KHARIZANOVA, M., inzh.

Obtainment of electrolytic copper in high current density.
Min delo 17 no.9:26-29 S '62.

1. Medodobiven kombinat "G. Damianov".

AAAA 247445, 1959

Country :Bulgaria
 Category :Human and Animal Physiology, The Nervous System
 Abs. Jour. :Ref Zhur Biol, No. 2, 1959, No. 8495
 Author :Nikolov, N.A.; Mitev, I.P.; Kharizanova, M.S.
 Instit. :The Medical Inst. of the Bulgarian Acad. of Science
 Title :A Biochemical and Physiological Investigation of
 Avitaminosis C in Connection with its Effect on
 Higher Nervous Activity.
 Orig Pub. :Izv. Med. in-ti Bolg. AN, 1956, 13, 213--237

Abstract : A gradual (over a period of 30--40 days)
 reduction in the levels of ascorbic acid in
 the blood, brain, heart, liver, and adrenals
 was observed in 17 guinea pigs from whose diet
 vitamin C had been excluded. In conjunction
 with the development of avitaminosis of several
 days duration, signs of increased cortical
 excitability were noted (shortening of the
 latent period of motor-alimentary conditioned
 reflexes, a decrease in the time taken to run
 to the food), which clearly preceded the clinical
 manifestations of disease. Subsequently there
 Card: 1/2

Country :Bulgaria
 Category= :Human and Animal Physiology, The Nervous System T

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000721820010
 Abs. Jour. :Ref Zhur Biol, No. 2, 1959, No. 8495

Author :
 Institut. :
 Title :

Orig. Pub. :

Abstract :were disturbances in positive conditioned
 reflexes, disinhibition of differentiation,
 phasic states and inhibition of conditioned and
 unconditioned reflex activity. Disturbances
 in the oxidation-reduction processes within the
 brain occurred together with the changes in
 higher nervous activity. One day after vitamin
 C was injected into the organism, recovery of
 biochemical processes began and continued in
 pace with a normalization of neurodynamics.
 --K.S. Ratner

Card: 2/2

ANNALE D'ONCOLOGIE, 11-2

Country : USSR U
 Category : General Problems of Pathology. Tumors. Metabolism
 Abs. Jour. : Ref Zhur-Biol, 1959, No 4, 10267
 Author : Mitov, I. P.; Kharizanova, M. S.
 Institut. : - Cheloved...
 Title : Polarographic Study of Blood Proteins of Patients with Cancer Before and After X-Ray Irradiation
 Orig Pub. : Arkhiv patologii, 1958, 20, No 2, 17-21

Abstract : In studying the serum by means of the polarographic method of Brdcka, it was found that the height of the protein wave (HPW) was 23-30.5 mm. in 64 healthy subjects, 13.5-24 mm. in 50 patients with cancer of various localization, 21.5-24 mm. in 5 patients with syphilis, 21-29 mm. in 5 patients with tuberculosis of the skin, and 22-26 mm. in 4 patients with functional disorders of the C.N.S. With positive therapeutic effect following X-ray irradiation of cancer

Card: 1/2

1-2

KOZHUKHAROV, P.; KHARIZANOVA, T.; DUMEVA, Sv.

Tests in the treatment of *Trichomonas vaginalis* with nitrofurans compounds. Trud Khim-farmatsevt inst 4:82-86 '63.

KOZHUKHAROV, I.; KILICZANOVA, T.

Experimental studies of fungicide action in some 8-oxyquinoline derivatives, synthesized in the Scientific Research Chemical and Pharmaceutical Institute. Trud Khim-farmatsiy Inst 4:86-90 '63.

Combined use of Bulgarian antibiotics with some biological and chemical substances for potentiating their action. Ibid.:91-95

Experimental study on obtaining a combined preparation of penicillin and sulfonamides with synergistic action. Ibid.:95-96

HARIZANOVA, T [Kharizanova, T.]

Effect of certain vitamins on the antibiotics of the tetracycline group and penicillin. Doklady BAN 15 no.4:411-414 '62.

1. Research Institute of Pharmacology, Ministry of Health, Sofia.
Submitted by Academician I. Emanuilov.

*

KHARIZANOVA, T.

Antineoplastic medicinal preparations. Priroda Bulg
12 no. 1: 46-49 Ja-F '63.

1. Nauchnoizsledovatel'ski institut po farmakologiya.

KHARIZANOVA, T.

Nitrofurantoin compounds, new chemotherapeutic drugs.
Priroda Bulg 10 no.5:83-86 S-O '61.

1. Nauchnoizsledovatel'ski institut po farmatsiia, Sofia.

*

KHARIZANOVA, Tania, ml. nauchn sutrudnik

Use of antibiotics as a growth factor. Farmatsia 4 no.2:17-18
Mr-Ap '54.

1. ENIFI

(ANTIBIOTICS, effects,

*growth stimulation in animals)

(GROWTH, effect of drugs on,

*antibiotics, stimulation in animals)

BULGARIA / Pharmacology, Toxicology. Chemo-Therapeutic Preparations. V
Antibiotics.

Abs Jour : Ref Zhur - Biologiya, No 6, 1959, No. 27942

Author : Kozhukharov, P.; Trandafilov, Tr.; Kharizanova, T.;
Khristov, K.

Inst : Not given

Title : Experimental Investigations of Some Medicinal Forms with
Antibiotics. II. Prolongation of Action of Penicillin
Injections with Pyrimidone, Calcium Gluconate and
Novocain

Orig Pub : Sofiya. Farmatsevt. fak., 1955 (1957), 3, No 5, 35-50

Abstract : No abstract given

Card 1/1

KOZHUKHAROV, P.; KHARIZANOVA, T.

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000721820010

Use of antirabies vaccine as a coagulant. Suvren.med., Sofia 6 No.7,
46-50 1955.

1. Iz Nauchnoizsledovatel'skii institut po farmatsiia pri MNZSG
(direktor: G.Todorov).

(VACCINES AND VACCINATION,
antirabies vaccine as hemostatic)

(HEMOSTASIS,
antirabies vaccine as hemostatic)

(RABIES, immunology,
antirabies vaccine as hemostatic)

KOZHUKHAROV, P.; KHARIZANOVA, T.

Experimental studies on antagonistic and synergistic effect of penicillin with certain other drugs with special reference to combined preparation trypsopenicillin (trypsocilline), a combined penicillin preparation for local use. Khirurgia, Sofia 12 no.7: 619-625 '59.

(PENICILLIN relcpds.)

KHARTZOV, I

A

Elektrische Ausrüstung Spanabhebender Werkzeugmaschinen. Berlin, Technik, 1953. 256 p.
Diagrams, Part, Tables Translation from the Russian, "Elektrooborudovaniye Metalloraz-
hushchikh Stankov," Moscow, 1951. "Literaturverzeichnis": p. 255-256

N/5 741.414
.K41

KHARIZOMENOV, I.V.; KUSMAN, V.G., kandidat tekhnicheskikh nauk, retsenzent;
KHALIKOV, G.P., dotsent, redaktor; TIKHONOV, A.Ya.; tekhnicheskii
redaktor; POPOVA, S.M., tekhnicheskii redaktor

[Electric equipment for metal-cutting machines] Elektricheskoe
oborudovanie metallorezhushchikh stankov. Moskva, Gos. nauchno-
tekhn. izd-vo mashinostroit. lit-ry, 1952. 309 p. [Microfilm]
(Machine tools) (MIRA 7:10)
(Electric apparatus and supplies)

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R00072182001

Name: KHARIZOMENOV, Igor' Vladimirovich

Dissertation: Problems of the Rational Utilization
of the Driving Gears of Metal Cutting
Machine Tools

Degree: Doc Tech Sci

Affiliation: [not indicated]

Defense Date, Place: 16 Jun 54, Council of the Moscow
Machine Tool and Instrument Inst imeni
Stalin

Certification Date: 28 Apr 56

Source: BMVO 4/57

ACHERKAN, N.S.; YERMAKOV, V.V.; IGNAT'YEV, M.V.; KAUFMAN, L.M.; PUSH, V.E.;
FEDOTENOK, A.A.; KHARIZOMENOV, I.V.; KHRYKOZ, A.N.; VLASKIN, P.S.;
kandidat tekhnicheskikh nauk, dotsent; GANDLER, A.V.; kandidat
tekhnicheskikh nauk, dotsent; ALEKSEYEV, P.G., kandidat tekhnicheskikh nauk.

"Machine tools" by V.A. Bravichev and others. Reviewed by N.S.
Acherkan and others. Vest.mash. 37 no.5:87-91 My '57. (MLRA 10:5)

1. Kafedra "Metallorazhushchiye stanki" Moskovskogo stankoinstrumental'nogo instituta (Acherkan, Yermakov, Ignat'yev, Kaufman, Push, Fedotenok, Kharizomenov, Khrykoz)
(Machine tools)

• Kharizomenov, Igor, Vladimirovich
PHASE I BOOK EXPLOITATION 462

Kharizomenov, Igor' Vladimirovich, Doctor of Technical Sciences,
Professor

Elektricheskoye oborudovaniye metallorazreshchikh stankov (Electrical
Equipment of Metal-cutting Machine Tools) 2d ed., rev. and enl.
Moscow, Mashgiz, 1958. 328 p. 25,000 copies printed.

Reviewer: Zusman, V. G., Candidate of Technical Sciences;
Ed.: Khalizev, G. P., Candidate of Technical Sciences; Ed. of
Publishing House: Shemshurina, Ye. A.; Tech. Ed.: Model', B. I.;
Managing Ed. for literature on metal working and tool making
(Mashgiz): Beyzel'man, R. D., Engineer.

PURPOSE: The book is approved as a textbook for machine-building
vuzes by the Ministerstvo vysshego obrazovaniya SSSR
(Ministry of Higher Education, USSR), and contains the

Card 1/8

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000721820010-0
Electrical Equipment of Metal-cutting Machine Tools

basic information necessary to engineers designing or operating
modern metal-cutting machine tools.

COVERAGE: The book examines problems connected with the electrical
equipment of metal-cutting machine tools. Systems and
electromechanical properties of machine tool electric
drives, fundamentals of dynamics, the equipment for
machine tool electrification, and methods and systems of
machine tool electrical automation are described. Special
attention is paid to electrical control and automation
and also to further possibilities of applying machine
tool electrification in student designing. Recent achieve-
ments in machine tool electrification in the USSR and in
other countries are reviewed. The book follows the pro-
gram approved by the Ministry of Higher Education of
the USSR. A knowledge of the principles of electrical
engineering is a prerequisite. To help the mechanical

Card 2/8

Electrical Equipment of Metal-cutting Machine Tools	462
Ch. II. Electromechanical Properties of Induction Motors	16
3. Mechanical characteristics	16
4. Starting up	23
5. Controlling speed of rotation	29
6. Operating conditions for braking	37
7. Structural shapes of induction motors	41
8. H-f electric motors	45
Ch. III. Electromechanical Properties of D-C Motors With Parallel Excitation	49
9. Mechanical characteristics	49
10. Starting up	53
11. Speed control	55
12. Operating conditions for braking	61
13. Structural shapes	64

Card 4/8

APPROVED FOR RELEASE: 09/17/2001
Electrical Equipment of Metal-cutting Machine Tools

Ch. IV. Drives With Variable Voltage	65
14. Motor-generator system	65
15. Dynamoelectric amplifiers and their use	71
16. Drives having magnetic amplifiers and adjustable transformers	79
17. Ionic drives	82
18. The selsyn and its application in machine tool construction	87
Ch. V. Determining the Power of Electric Motors	92
19. Heating of electric motors under load	92
20. Determining the power of an electric motor under a constant continuous load	97

Card 5/8

Electrical Equipment of Metal-cutting Machine Tools 462

41. Electrification of drills and boring machines	282
42. Electrification of planers	287
43. Electrification of milling and gear cutting machines	296
44. Electrification of grinders and finishing machines	303
45. Electrical equipment of machine tool automatic lines	310

Bibliography	321
--------------	-----

Appendix. List of symbols for electrical diagrams	322
---	-----

AVAILABLE: Library of Congress

Card 8/8

JJP/jmr
7-22-1958

SOV/3-58-12-22/43

AUTHOR: Kharizomenov, I.V., Doctor of Technical Sciences; Professor;
Deputy Institute-Director

TITLE: On Textbooks, Lectures, Summaries (Ob uchebnikakh, lektsi-
yakh, konspektakh)

PERIODICAL: Vestnik vysshey shkoly, 1958, Nr 12, pp 63 - 67 (USSR)

ABSTRACT: The author quotes M.A. Prokof'yev, who wrote that a consi-
derable part of the subject can be learned by the student
independently. However, the author sets forth his conside-
rations leading to the conclusion that the course of lec-
tures on every subject must be complete, must embrace the
entire material of the subject and must be read to the end.
Student summaries cannot be compared with a textbook, which
in volume must exceed the lecturing course. By its volume
the latter will approximately correspond to half of a text-
book. It will be easy to learn from such summaries; they
should be often renewed and republished. As regards these
summaries, the author approves of all those suitable for pre-

Card 1/2

KHARIZOMENOV, I.V.

PHASE I BOOK EXPLOITATION

SOV/3945

Geyler, Leonid Benediktovich, Doctor of Technical Sciences, Professor, and Igor' Vladimirovich Kharizomenov, Doctor of Technical Sciences, Professor

Elektrooborudovaniye i elektroavtomatika kuznechno-pressovykh mashin (Electrical Equipment and Electrical Automation of Pressworking Machinery) Moscow, Mashgiz, 1960. 226 p. Errata slip inserted. 14,000 copies printed.

Reviewer: V.Ye. Stokolov, Engineer. Ed.: O.V. Chernyak, Engineer; Managing Ed. for Literature on Heavy Machine Building: S.Ya. Golovin, Engineer; Ed. of Publishing House: O.V. Chernyak; Tech. Ed.: V.D. El'kind.

PURPOSE: This book is intended for workers of metalworking plants and students of machine-construction institutes and tekhnikums.

COVERAGE: The book deals with the design and construction of electric drives for pressworking machinery. The selection of control devices and the development of systems for automation and blocking are included. In addition to a discussion of theoretical problems, practical sample calculations and reference data on design are presented. Analytic and graphoanalytic methods of plotting characteristics of types of electric motors are described and a number of electrical

Card 1/7

STOKOLOV, V.Ye., inzh.; KHARIZOMENOV, I.V., doktor tekhn. nauk, prof.,
retsenzent; TIKHOMIROV, A.S., inzh., red.; SIROTIH, A.I.,
red.izd-va; MAKAROVA, L.A., tekhn. red.

[Design and installation of the electrical equipment of
forging and pressing machines]Proektirovanie i montazh elektro-
oborudovaniia kuznechno-pressovykh mashin. Moskva, Mashgiz,
1962. 382 p. (MIRA 16:4)
(Punching machinery--Electric equipment) (Forging)

KHARIZOMENOV, I.V., prof.; MIKHAYLOV, O.P., kand. tekhn. nauk;

[Methodological manual on the solution of problems in a
course in general electrical engineering] Metodicheskoe
rukovodstvo k resheniu zadach po kursu obshchei elektro-
tekhniki. Moskva, Mosk. stankoinstrumental'nyi in-t.
Pt.2. 1963. 39 p. (MIRA 17:9)

IVENSKIY, Yu.N.; TULLER, A.G.; GEYLER, L.B., doktor tekhn. nauk,
prof., retsenzent; KHARIZOMENOV, I.V., doktor tekhn.
nauk, prof., rer'

[Electric control of machine tool lines] Elektroavtomatika
stanochnykh linii. Moskva, Izd-vo "Mashinostroenie," 1964.
324 p. (MIRA 17:4)

KHARIZMANGV, I.V., doktor tekhn. nauk, prof.; T.SIL, V.G.,
kand. tekhn. nauk, retsenzent; ROZILAN, A.G., inzh.,
retsenzent; MIKHIA, G.K., inzh., red.

[Electrical equipment and automatic control of machine
tools] Elektrooborudovanie i elektravtoratika metallo-
rezhushchikh stankov. Izd.3., perer. Moskva, Mashino-
stroenie, 1964. 327 p. (MIRA 18:2)

KHARKANI, I. [Harkanyi, I.]

Experimental and clinical studies of relaxil-G. Vest.AMN SSSR
17 no.8:44-50 '62.
(MIRA 15:12)

1. Budapeshtskiy meditsinskiy institut, IV khirurgicheskaya klinika.
(RELAXIL)

NEKRASOVICH, Aleksandr Aleksandrovich

DECEASED

1964

RELAYING, A. and KONTSELY, V. N.

"Relaynye skhemy v telefonii (Relay Circuits in
Telephony), 1955, Moscow, Svyazizdat.

KHARKEVICH, A. A.

Automatisation of Acoustic Measurements. Trudy Committee on Acoustics, #1, 1939.
(Not available in Library of Congress).

(Handwritten: SA)

(Handwritten: B 66 K)

164. Relation between geometrical form of an aerial and its transient function. A. KHARKEVICH. *J. Techn. Phys. U.S.S.R.*, 8, 4, pp. 491-494, 1939. In Russian.—The transient function of a straight, inhomogenous aerial may be found by a summation of the pressure impulses reaching the point of observation from the single elements of the equivalent aerial. The calculation is based on the integration of an expression comprising the product of the transient function into Heaviside's factor. Two particular examples including circular and spherical surface aerials are evaluated

F. H. K.

ASD S&A METALLURGICAL LITERATURE CLASSIFICATION

1204 17:0310H
149045 46

182003 419 0M9 004

0311810H

031181 0M 0M9 181

W. E.

General Physics

56:2751
Deflection of a Piezoelectric Rod. A. A. Khaty
vol. 124, 644, 1971, Vol. 124, No. 10, pp. 124-126. In Russian. The vibration of a
rod consisting of two parallel layers of Rochelle salt
investigated mathematically for different special
conditions.

1948

[illegible]

K. A. KOSYKH, A. A.

"On the Calculation of Piezoelectrical Vibrators," Zhur. Tekh. Fiz., 15, Nos. 1-6,
1945. Leningrad Physico-Tech. Inst.

KHARKEVICH, A. A.

Apr 1947

USSR/Circuits, Resonant
Circuits - Analysis

"The Calculation of a Kind of Correction System,"
A. A. Kharkevich, 10 pp

"Zhur Tekh Fiz" Vol XVII, No 4

Two schematic diagrams. Solution of the problem of
the resonating circuit of various complexities.

11T11

SA

A53
N

514 232 - 82 1770
(On the stability of transducers. KHARKOVITSH, A. A.
J. Tech. Phys., USSR, 16 (No. 7) 831-4 (1946) In Russian.
- Systems with 2 degrees of freedom are considered
generally, and their characteristic differential equations
are formulated. The electrostatic, moving-iron electro-
magnetic, piezo-electric, magnetostriction and thermo-
mechanical transducers are treated. As an example the
method is applied to two specific quartz and Rochelle
salt transducers; it is shown that they possess nearly
maximum possible efficiency. A. L.

L'vov Polytech. Inst.

454 554 METALLURGICAL LITERATURE CLASSIFICATION

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721820010-0

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721820010-0"

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721820010-0

Harvey A A
plane white

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721820010-0"

Blackwell, A A Nonstationary

K. KREYON, A. A.

"Review of V.V. Gurdzhev's book 'Elektroakoustika'", Usp. Fiz. Nauk, 37, No 4, 1949

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721820010-0

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721820010-0"

PHASE I BOOK EXPLOITATION

555

Kharkevich, A. A.

Neustanovivshiyesya volnovyye yavleniya (Unsteady Wave Phenomena)
Moscow, Gostekhizdat, 1950. 202 p. 5,000 copies printed.

Eds.: Vysokovskiy, D. M. and Shchukin, Ye. D.; Tech. Ed.: Gavrilov, S. S.

PURPOSE: This book is intended for scientists specializing in acoustics and electromagnetic oscillations and for graduate students taking advanced courses in these fields.

COVERAGE: The author describes theoretical methods of studying unsteady wave phenomena and conducting research in the more interesting problems related to this field. New solutions to the problem of diffraction are presented. There are no personalities mentioned and no references.

TABLE OF
CONTENTS:

5

Foreword

7

Introduction
Card 1/3

Unsteady Wave Phenomena

555

Ch. I. Fundamental theory

CIA-RDP86-00513R00072182001

1. Basic concepts
2. Mathematical description of waves
3. Reflection and refraction
4. Interference and directional properties
5. Radiation and reception
6. Diffraction
7. Principle of superposition
8. Fourier's series and integral
9. Duhamel's integral

16
19
23
29
34
37
40

Ch. II. Theory of Unsteady Wave Phenomena

10. Auxiliary apparatus
11. One-dimensional discontinuous wave
12. Wave phenomena in a finite system
13. Spherical wave. Point source
14. Simplest group antennas
15. Reducing antennas of the more general type to rectilinear
16. The field near a group antenna
17. Cylindrical wave
18. Reaction of the field on the radiator
19. Directional properties
20. Spherical antennas

44
56
62
68
69
78
84
86
94
105

Card 2/3

FA 160T86

KHARKEVICH, A. A.

USSR/Physics - Acoustic Systems
Sound, Transmission

11 May 50

"Equations of an Acoustic Transmission System," A. A.
Kharkevich, 3 pp

"Dok Ak Nauk SSSR" Vol LXXII, No 2

Describes new simpler method of obtaining classical
equations describing pressure and volumetric speed
of subject system, i.e., combination of two antennas,
each of which can be either a radiator or a receiver.
Submitted 3 Mar 50 by Acad S. I. Vavilov.

160T86

CPA:MM

Harkov, A. A. A new method
problem

KHARKEVICH, A.
KHSRKEVICH, A.

168T80

USSR/Physics - Books
Sound, Concentrated

Jun 50

"Review of L. D. Rozenberg's 'Sound Focusing Systems,'" A. Kharkevich

"Uspekh Fiz Nauk" Vol XLI, No 2, pp 247-248

Favorable review of subject book, which divided focusing systems into reflectors (mirrors), refractors (lenses), and diffractors (zonal plates). Last chapter discusses concentration of sound energy.

168T80

KHARKEVICH, A.A.

PHASE I

TREASURE ISLAND BIBLIOGRAPHIC REPORT

AID 170 -- I

BOOK

Call No.: QC451.K46

Author: KHARKEVICH, A. A.

Full Title: SPECTRA AND ANALYSIS

Transliterated Title: Spektry i analiz

Publishing Data

Originating Agency: None

Publishing House: State Publishing House of Technical Theoretical Literature

Date: 1952

No. pp.: 192

No. of copies: 6,000

Editorial Staff

Editor: Gurov, K. P.

Tech. Ed.: None

Editor-in-Chief: None

Appraiser: None

Text Data

Coverage: The spectral representations adopted in the theories of vibration, acoustics, and radio technique are analyzed theoretically, and various methods of spectral analysis discussed.

This book uses the theoretical-analytical approach more extensively than the few existing English books on the same subject, with the possible exception of G. Herzberg's Molecular Spectra, Canada, 1950.

Purpose: Expansion of the theoretical horizon of knowledge of engineers working in the fields of radio and acoustics, and as a textbook for technical college students in these specialities.

1/2

Spektry i analiz

AID 170 - I

Facilities: None

No. of Russian and Slavic References: .31 (1915-1950)

Available: Library of Congress.

2/2

KHARKEVICH, A. A.

"Spectra and Analysis," by A.A.Kharkevich, Cor. Mem., AS Ukr SSR, a report read at a conference of the Acoustics Commission, AS USSR from 1-3 February 1951 in Leningrad.

W-21610, 25 Feb 52